# Davidson County Health Department Improvement Permit

MC MAHAN ALAPBIH

If the information on the Improvement Permit is falsified, changed or the site is altered, then the Improvement Permit shall become invalid.

Permit is Valid	for Five Years:	io Expiration date:	
2- 1-02 Date Rec.	Map Code:	File No.:	2002 / 115
Applicant	Address	Dayt	ime Phone336 249-476
Owner/Legal Representative	Address		Daytime Phone
Subdivision M E CENTER ST CROSS ABBUT Road Name ASSOTTS AVEN	dap Lot Se TS CREEK BRIDGE GO T Specific Directions to Pr	O TOP OF WILL	Township
No. of Employees: No. of Employees: Other:	New Repair x E.  of Occupants: Base Project		oply sust nt Fixtures
Pumpi Yes No Permit Conditions:	Proposed Wastewater System	Type:	20 Car (1) Car
Permit Granted: Permit D	Denied:Authorized S	tate Agent	Date
Owner/Legal Representative's S	ignature:		Date
Authoriz	ation To Construct	Wastewater Sys	stem
The Authorization for Wastewate intended use of the property char			
Type of Wastewater System	Wastewater System R		Daily Flow: 240 graft
Tank Size Thomas Acc	Pump Tank Size: A	VA Square Fo	otage: George 2
Trench Length: 120 Fr co	Max. Trench Depth:	Trench Wid	ith: 3FT
Permit Conditions: 100784	a on Corrows, MA Within	pu Stronges	
See	Site Plan / Plat On	Attached Sheet	- 1
Permit Granted: Permit I	Denied: Authorized S	rinnya silaya katalan di sera tanggan tanggan tanggan di selah Cosses dari 200 (Ci	The Date 7 4 oz
Owner/Legal Representative's S	ignature: 100 Se		Date

#### GENERAL SEPTICIANK MAINTENANCE


The signification is at efficient the operative, and convention forthers for organizated disputes all boundered waste water. Soone systems will adequately absorb and parify wiscospicing they are properly maintained. A like precisions can save your anomals and motion in Reducing water uses awarding grosse, properly task periodically, and properly fundament my said to keep surface water away from the task and dimmissible are inexpensive promises that can help bestare your systems a long life.

- Die not per too much water into the explan system, typical water use is about 50 gallous per a stay for each person in the family.
- \* Do not add nationals (chemicals, sanitary naps its, applicators, and so on) other than distributed wastewner.
- \* Restrict the use of your garbage disposal.
- Bo not pear grease or exciting oils flown the sink drain.
- Make a diagram showing the location of your tank and distations and removares.
- Install a waternight concrete over over the septic tank to supplier access
- \* Rectodically have the souds pumped out of the septic take
- Maintain adequate regerative coveraver the dramifield.
- . Keep surface waters away from the tack and drainfield.
- . Keep automobiles and heavy conspined off the system.
- Do not plan any building additions, pooks, driveways, or other construction work near the separa system or the repair area

The frequency which you will need to promp depends on there variables, the size of your analysis tank, the volume of your wastewater, and the solids content of your wastewater. If you no this treatment to have the rank purposed observe the yearly rate of nobels accomplation. In this should be pumped of the study tayer has built no to within 25 to 32 general to be ideally capacity of the tank. Therefore, a springle AXXI gallon tank with a 4 free hand capacity should be pumped when the sands are 3-500 thick in the bottom of the tank. If the tank is not easily accessible, you may wish to inspect and gump it according to the frequency guideness in Table 1.


lank Size		of Septic Tank Inspection and Pumping Frequency in Years  Number of People Daing the System				
gallous)	<b>高度的 经实际 医</b>		4		PER	
900	Sill balle Halls	5	HANNO GOING	TO THE REAL PROPERTY.	2000000	
1,000	<b>多型用自型用的 2.35%</b>	100000		BIRDE CROSS	100 950	
1,250			<b>阿拉克克克克克</b>			
P.500	能數是標質問題	C 19 10 10 10 10 10 10 10 10 10 10 10 10 10	MENSE TRUE		Name of the last	

If the sapite system is not used very often has in an infrequently used vacation home with 2 connectly sized land), it will probably sof need to be pumped as indicated in the table. If you use a garbage disposal, the tank may need to be pumped more frequently. After a few inspections, you should be able to adjust the same time according to the rate at which solids according.



#### Davidson County Health Department Application for Improvement Permit/Authorization to Construct


Date Site Ready to Evaluate Improvement Permit Submit current site drawing & application House staked, property lines marked, holes/pits dug Proposed System Type (required) Construction Authorization Submit current scale drawing of site & Approved system sheet with type selected & application IF THE INFORMATION IN THE APPLICATION FOR AN IMPROVEMENT PERMIT IS FALSIFIED, CHANGED, OR THE SITE IS ALTERED, THE IMPROVEMENT PERMIT AND AUTHORIZATION TO CONSTRUCT SHALL BECOME INVALID. APPLICANT INFORMATION PROPERTY INFORMATION Tax Map 18C Lot Number Township U Subdivision Directions to site: st - cross abbots lock bridge -DEVELOPMENT INFORMATION Manufactured Home Repair to Existing Septic Tank System Expansion of Existing System Residential Info: # Bedrooms 2 Basement (Y/N) if Y, Fixtures # of Occupants Non-Residential Info: Type of Business # of Employees # of Seats Total Square Footage of building Other Water Supply: Public \_\_\_\_ New Well Existing Well Community Well Does this property: 1) Have any designated wetlands? 2) Subject to approval by any other public agency(Planning & Zoning, DOT, ect)\_ Will there be any wastewater generated other than domestic sewage? No If yes, explain I have read this application and information sheet attached and certify that the information provided in this application is true, complete and correct to the best of my knowledge. Authorized county and state officials are granted right of entry to conduct necessary inspections. I understand that I am solely responsible for the proper identification and labeling of all property lines and making the site accessible for this evaluation. Property Owner / Legal Representatives Signature + water standing in Gard.



Site Plan

MOTEON PLYMBING	02-115		
Applicant's Name	File Number		
300 ABBOTS AVE			
Subdivision	Section Lot #		
James a Portate	2.5-02		
Authorized State Agent	Date		

System components represent approximate contours only. The contractor should flag the system prior to beginning the installation to insure that proper grade is maintained.



## **Davidson County Tax Department**

### Parcel Summary Information

Click here for complete, live data on this parcel

Parcel #: 05018C0000008				onge; 1458		Account #: 000009057259 Tax Codes C County Wide FR03 Central Fire  Local Zoning: RS Pin ID:  Real Estate Update: 11008		
						Township: 05 Conrad	Hill	
	Buildin OBX Lan	g: S F: S d: S	5023 1300	80 0				
Market: \$ 63280 Assessed: \$ 63280 Deferred: \$ 0			(T) 斯線 網線					
				-	Sales Dat			
No. 1 2 3 4 5	Book 1265	Page 1458	Month 9	Year 2001	Instrument WD	Qual/UnQual X	Improved I	Price 0 0 0

Click here for complete, live data on this parcel

Davidson County HomePage • Tax Department HomePage • Tax Department Search Page